

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/326184968>

# Hyla prasina Burmeister, 1856 meets the requirements of Article 23.9.1 of the Code for a reversal of precedence over Hyla quoyi Bory de Saint-Vincent, 1828 (Anura, Hylidae)

Article in Zootaxa · July 2018

DOI: 10.11646/zootaxa.4442.4.8

---

CITATION

1

2 authors:



Francisco Kolenc

Museo Nacional de Historia Natural, Montevideo, Uruguay

64 PUBLICATIONS 538 CITATIONS

[SEE PROFILE](#)

---

READS

271



Diego Baldo

National Scientific and Technical Research Council

150 PUBLICATIONS 1,294 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Analyzing distributional patterns of amphibians and reptiles to inform conservation decisions, with special focus on Argentina. [View project](#)



Chromosome Evolution [View project](#)

<https://doi.org/10.11646/zootaxa.4442.4.8>  
<http://zoobank.org/urn:lsid:zoobank.org:pub:E7DBC2B4-DEEA-4549-8D09-B8974C90114A>

## ***Hyla prasina* Burmeister, 1856 meets the requirements of Article 23.9.1 of the Code for a reversal of precedence over *Hyla quoyi* Bory de Saint-Vincent, 1828 (Anura, Hylidae)**

FRANCISCO KOLENC<sup>1</sup> & DIEGO BALDO<sup>2,3</sup>

<sup>1</sup>Sección Herpetología, Museo Nacional de Historia Natural, 25 de mayo 582, Montevideo, Uruguay. E-mail: fkolenc@gmail.com

<sup>2</sup>Laboratorio de Genética Evolutiva, Instituto de Biología Subtropical (CONICET-UNaM), Facultad de Ciencias Exactas Químicas y Naturales, Universidad Nacional de Misiones, Félix de Azara 1552, Posadas, Misiones, Argentina.

<sup>3</sup>Corresponding author. E-mail: diegobaldo@gmail.com

In a recent work, Ohler and Dubois (2018) discussed the correct application of Article 23.9 of the *Code* (Anonymous, 1999; 2012) and illustrated it with some concrete cases in which the authors considered that the Article was misinterpreted. Article 23.9 of the *Code* allows the “reversal of precedence”, that is, that when a senior homonym or synonym has not been used as a valid *nomen* after 1899 (Article 23.9.1.1) and its junior synonym or homonym has been used as valid for the same taxon in at least 25 works published by at least 10 authors in the immediately preceding 50 years and encompassing a span of not less than 10 years (Article 23.9.1.2), the junior homonym or synonym must be maintained as valid (Article 23.9.1). One of the cases considered by Ohler and Dubois (2018) is the treatment given by Caramaschi and Niemeyer (2010) to the names *Hyla prasina* Burmeister, 1856 (under the combination *Hypsiboas prasinus*), and *Hyla quoyi* Bory de Saint-Vincent, 1828.

Caramaschi and Niemeyer (2010) demonstrated that both names refer to the same species and are then subjective synonyms. *Hyla prasina* (=*Hypsiboas prasinus*) was then a well-established name in the herpetological literature (see below), while *Hyla quoyi* was considered “*insertae sedis*” and (without justification) “*nomen oblitum*” by Frost’s (2010) website “Amphibian Species of the World: an online reference” (this website was accessed by Caramaschi and Niemeyer (2010) on 17 June 2010, and this version is no longer available online). Caramaschi and Niemeyer (2010) then considered *Hyla quoyi* an unavailable name (erroneously, and based on Frost’s (2010) assertion), and stated that “*Hypsiboas prasinus* (Burmeister, 1856) is a *nomen protectum* (ICZN 1999) relative to *Hyla quoyi* Bory de Saint-Vincent, 1828, a *nomen oblitum*.”. We agree with Ohler and Dubois (2018) that this nomenclatural act made by Caramaschi and Niemeyer (2010) is not valid because *Hyla quoyi* was then (as it is now) an available name, and, mainly, because it was not justified with evidence that the conditions stated in Article 23.9.1 were met (Article 23.9.2). But, the fact is that Caramaschi and Niemeyer’s (2010) conclusion is inherently right, since *Hyla prasina* (=*Hypsiboas prasinus*) actually met at that time the conditions to be considered a *nomen protectum* under Article 23.9.1, that is, a reversal of precedence over *Hyla quoyi* (see below).

Ohler and Dubois (2018) stated that “*Hyla prasina* has been used very rarely in the scientific literature” and that they “carried out a search on *Web of Science Core Collection* and *Web of Science Zoological Record*, and (we) recovered only 11 such references, so that it is clear that the conditions of implementation of Article 23.9 are not complied with and the regular Rules of the *Code* must be applied. In conclusion, this species should now be known under the *nomen Boana quoyi*”.

It is clear from the previous paragraph that Ohler and Dubois’ (2018) intention was to determine if *Hyla prasina* met the conditions of Article 23.9 for a reversal of precedence and they concluded that it did not. But, contrary to Ohler and Dubois (2018), we are aware of a well-established and widespread use of the name *Hyla prasina* (=*Hypsiboas prasinus*) in the zoological literature, so we performed a manual search among many published papers, and we found evidence that *Hyla prasina* Burmeister, 1856 actually complies with the requirements of Article 23.9.1 of the *Code* for a reversal of precedence over *Hyla quoyi* Bory de Saint-Vincent, 1828. Since Ohler and Dubois’ (2018) nomenclatural act is based on a false premise (“that the conditions of implementation of Article 23.9 are not complied with”), and their conclusion is wrong (that then “the regular Rules of the *Code* must be applied”), we do not accept as valid the usage of *Boana quoyi* (=*Hyla quoyi*) in Ohler and Dubois’ (2018) work for the purpose of application of Article 23.9.1.1, and consequently, any

eventual posterior usage of this name following Ohler and Dubois (2018). This proposition is further supported by the *purpose* of the Principle of Priority as stated in Article 23.2 of the *Code*: “the Principle of Priority is to be used to promote stability and it is not intended to be used to upset a long-accepted name in its accustomed meaning by the introduction of a name that is its senior synonym or homonym (for certain such cases see Article 23.9)”. We believe that trying to impose the usage of the name *Hyla quoyi* over *Hyla prasina* by considering Ohler and Dubois’ (2018) wrong usage of the former name a valid one, is clearly against the purpose of the Principle of Priority.

Following Article 23.9.2 of the *Code*, we herewith declare that both the conditions of Article 23.9.1 are met and hence the younger synonym *Hyla prasina* Burmeister, 1856 is *nomen protectum* and the senior synonym *Hyla quoyi* Bory de Saint-Vincent, 1828 is *nomen oblitum*, substantiated by the following evidence:

Usage instances for *Hyla quoyi* as a valid name after 1899 within the scope of Article 23.9.1: none

Usage instances for *Hyla prasina* (and its combinations *Hypsiboas prasinus* and *Boana prasina*) as a valid name: Aguiar *et al.* 2014; Ananias *et al.* 2004; Andrade *et al.* 2016; Antunes *et al.* 2008; Araujo & Almeida-Santos 2013; Araujo *et al.* 2010, 2013; Baldissera *et al.* 1993; Baraquet *et al.* 2013; Bazzo *et al.* 2008; Beçak 1968; Bertoluci 1998; Bertoluci & Rodrigues 2002; Madelaire *et al.* 2012, 2013; Brunetti *et al.* 2015; Campião *et al.* 2014; Caramaschi & Niemeyer 2010; Catrioli & Kasahara 2009; Condez *et al.* 2009; Conte & Rossa-Feres 2006, 2007; Crivellari *et al.* 2011, 2014; d'Heursel & Haddad 2007; Delgado & Haddad 2015; Duellman 1999; Duellman *et al.* 1997, 2016 Eterovick *et al.* 2002, 2005; Faivovich *et al.* 2004, 2005, 2013; Ferro *et al.* 2018; Forlani *et al.* 2010; Garcia & Haddad 2008; Garcia *et al.* 2003, 2007, 2008; Gonçalves *et al.* 2015; Greenspan *et al.* 2016; Grundler *et al.* 2012; Guerra & Bastos 2014; Guerra *et al.* 2015; Hernández-Guzmán *et al.* 2011; Haddad *et al.* 2008; Haddad & Sazima 1992; Heyer *et al.* 1988, 1990; Iop *et al.* 2011; Kiss *et al.* 2009; Köhler *et al.* 2017; Kolenc *et al.* 2008; Kwet 2008; Kwet *et al.* 2010; Kwet & Miranda 2001; Lehr *et al.* 2011; Lema & Martins 2011; Lutz 1973; Machado & Maltchik 2007; Mattos *et al.* 2014; McAllister *et al.* 2013; Melo *et al.* 2007; Muniz *et al.* 2008; Nali *et al.* 2014; Nascimento *et al.* 2015; Nazaretti & Conte 2015; Nunes & Fagundes 2008; Pinheiro *et al.* 2016; Pombal J.P.Jr. 1997, 2010; Pyron 2014; Pyron & Wiens 2011; Reynolds & Foster 1992; Ribeiro *et al.* 2005; Rossa-Feres *et al.* 2011; Santos *et al.* 2014; Shibatta *et al.* 2009; Silva *et al.* 2016; Taboada *et al.* 2017; Toledo & Haddad 2009; Toledo *et al.* 2011; Toledo *et al.* 2013; Zina *et al.* 2007, 2014.

The list comprises 86 publications, published by 63 first authors in the immediately preceding 50 years, encompassing a span of 50 years, demonstrating that the name *Hyla prasina* / *Hypsiboas prasinus* has been used extensively in the herpetological literature, and that, following Dubois (2017) should be used under the combination *Boana prasina*.

FK acknowledges partial funding of Agencia Nacional de Investigación e Innovación, Uruguay. DB is grateful to FONCyT (PICTs 0404/2013, 1343/2014, 1930/2014, 2035/2014, 0813/2015, 0820/2015, 2381/2015) for financial support.

## References

- Aguiar, A., Morais, D.H., Cicchi, P.J.P. & Da Silva, R.J. (2014) Evaluation of helminths associated with 14 amphibian species from a neotropical island near the southeast coast of Brazil. *Herpetological Review*, 45, 227–236.
- Ananias, F., Garcia, P.C.A. & Recco-Pimentel, S.M. (2004) Conserved karyotypes in the *Hyla pulchella* species group (Anura, Hylidae). *Hereditas*, 140, 42–8.  
<https://doi.org/10.1111/j.1601-5223.2004.01775.x>
- Andrade, D.V., Bevier, C.R. & Carvalho, J.E. (2016) *Amphibian and reptile adaptations to the environment. Interplay Between Physiology and Behavior*. CRC Press Taylor & Francis Group, International Standard Book, Boca Raton, 214 pp.  
<https://doi.org/10.1201/b20420>
- Anonymous [International Commission on Zoological Nomenclature] (1999) *International Code of Zoological Nomenclature. Fourth edition*. International Trust for Zoological Nomenclature, London, 306 pp.
- Anonymous [International Commission on Zoological Nomenclature] (2012) Amendment of Articles 8, 9, 10, 21 and 78 of the International Code of Zoological nomenclature to expand and refine methods of publication. *Bulletin of Zoological Nomenclature*, 69, 161–169.
- Antunes, A.P., Faivovich, J. & Haddad, C.F.B. (2008) A new species of *Hypsiboas* from the Atlantic Forest of Southeastern Brazil (Amphibia, Anura, Hylidae). *Copeia*, 2008, 177–188.  
<https://doi.org/10.1643/CH-06-163>
- Araujo, C.O. & Almeida-Santos, S.M. (2013) Composição, riqueza e abundância de anuros em um remanescente de Cerrado e Mata Atlântica no estado de São Paulo. *Biota Neotropica*, 13, 265–275.  
<https://doi.org/10.1590/S1676-06032013000100026>
- Araujo, C.O., Condez, T.H., Bovo, R.P., Centeno, F.C. & Luiz, A.M. (2010) Amphibians and reptiles of the Parque Estadual Turístico

- do Alto Ribeira (PETAR), SP: an Atlantic Forest remnant of Southeastern Brazil. *Biota Neotropica*, 10, 257–274.  
<https://doi.org/10.1590/S1676-0603201000400031>
- Araujo, C.O., Matsukuma, C.K. & Santos, S.M.A. (2013) Composição taxonômica e distribuição de anuros no Alto e Médio Paranapanema, estado de São Paulo. *Biota Neotropica*, 13, 241–258.  
<https://doi.org/10.1590/S1676-06032013000300027>
- Baldissera, F.A.Jr., Oliveira, P.S.L. & Kasahara, S. (1993) Cytogenetic of four brazilian *Hyla* species (Amphibia: Anura) and description of a case with supernumerary chromosome. *Revista Brasileira de Genética*, 16, 335–345.
- Baraquet, M., Salas, N.E. & Martino, A.L. (2013) C-banding patterns and meiotic behavior in *Hypsiboas pulchellus* and *H. cordobae* (Anura, Hylidae). *Journal of Basic & Applied Genetics*, 24, 32–39.
- Bazzo, M.D., Garey, V.M., Monteiro-Filho, E.L.A. & Hartmann, M.T. (2008) Sinalização visual e Biologia Reprodutiva de *Dendropsophus wernerii* (Anura: Hylidae) em área de Mata Atlântica no Estado do Paraná, Brasil. *Papéis Avulsos de Zoologia*, 48, 335–343.
- Beçak, M.L. (1968) Chromosomal analysis of eighteen species of Anura. *Caryologia*, 21, 191–208.  
<https://doi.org/10.1080/00087114.1968.10796299>
- Bertoluci, J. (1998) Annual patterns of breeding activity in Atlantic rainforest anurans. *Journal of Herpetology*, 32, 607–611.  
<https://doi.org/10.2307/1565223>
- Bertoluci, J. & Rodrigues, M.T. (2002) Utilização de habitats reprodutivos e micro-habitats de vocalização em uma taxocenose de anuros (Amphibia) da Mata Atlântica do Sudeste do Brasil. *Papéis Avulsos de Zoologia*, 42, 287–297.  
<https://doi.org/10.1590/S0031-10492002001100001>
- Brunetti, A.E., Hermida, G.N., Luna, M.C., Barsotti, A.M.G., Jared, C., Antoniazzi, M.M., Rivera-Correa, M., Berneck, B.V.M. & Faivovich, J. (2015) Diversity and evolution of sexually dimorphic mental and lateral glands in Cophomantini treefrogs (Anura: Hylidae: Hylinae). *Biological Journal of the Linnean Society*, 114, 12–34.  
<https://doi.org/10.1111/bij.12406>
- Campos, K.M., Moraes, D.H., Dias, O.T., Aguiar, A., Toledo, G.M., Tavares, L.E. & Silva, R.J. (2014) Checklist of helminth parasites of amphibians from South America. *Zootaxa*, 30, 1–93.  
<https://doi.org/10.11646/zootaxa.3843.1.1>
- Caramaschi, U. & Niemeyer, H. (2010) The nomenclatural status of *Rana gaimardii* Bory de Saint-Vincent, 1828, and *Hyla quoyi* Bory de Saint-Vincent, 1828 (Anura, Hylidae). *Zootaxa*, 2655, 63–68.
- Catrolí, G.F. & Kasahara, S. (2009) Cytogenetic data on species of the family Hylidae (Amphibia, Anura): results and perspectives. *Publication UEPG: Biological and Health Science Ponta Grossa*, 15, 67–86.
- Condez, T.H., Sawaya, R.J. & Dixo, M. (2009) Herpetofauna dos remanescentes de Mata Atlântica da região de Tapiraí e Piedade, SP, sudeste do Brasil. *Biota Neotropica*, 9, 157–185.  
<https://doi.org/10.1590/S1676-06032009000100018>
- Conte, C.E. & Rossa-Feres, D.C. (2006) Diversidade e ocorrência temporal da anurofauna (Amphibia, Anura) em São José dos Pinhais, Paraná, Brasil. *Revista Brasileira de Zoológia*, 23, 162–175.  
<https://doi.org/10.1590/S0101-81752006000100008>
- Conte, C.E. & Rossa-Feres, D.C. (2007) Riqueza e distribuição espaço-temporal de anuros em um remanescente de Floresta de Araucária no sudeste do Paraná. *Revista Brasileira de Zoológia*, 24, 1025–1037.  
<https://doi.org/10.1590/S0101-81752007000400020>
- Crivellari, L.B., Conte, C.E. & Rossa-Feres, D.C. (2011) Riqueza de anfíbios (Amphibia: Anura) dos Campos Gerais, Paraná, Brasil. In: Carpanezzi, O.T.B. & Campos, J.B. (Eds.). *Coletânea de Pesquisas: Parques Estaduais de Vila Velha, Cerrado e Guartelá. Coletânea de Pesquisas*, Curitiba, pp. 94–97.
- Crivellari, L.B., Leivas, P.T., Moura Leite, J.C., Gonçalves, D.S., Mello, C.M., Rossa-Feres, D.C. & Conte, C.E. (2014) Amphibians of grasslands in the state of Paraná, southern Brazil (Campos Sulinos). *Herpetology Notes*, 7, 639–654.
- d'Heurles, A. & Haddad, C.F.B. (2007) Anatomy of the oral cavity of hylid larvae from the genera *Aplastodiscus*, *Bokermannohyla*, and *Hypsiboas* (Amphibia, Anura): Description and systematic implications. *Journal of Herpetology*, 41, 458–468.  
[https://doi.org/10.1670/0022-1511\(2007\)41\[458:AOTOCO\]2.0.CO;2](https://doi.org/10.1670/0022-1511(2007)41[458:AOTOCO]2.0.CO;2)
- Delgado, D.B. & Haddad, C.F.B. (2015) Calling activity and vocal repertoire of *Hypsiboas prasinus* (Anura, Hylidae), a treefrog from the Atlantic Forest of Brazil. *Herpetologica*, 71, 88–95.  
<https://doi.org/10.1655/HERPETOLOGICA-D-13-00071>
- Dubois, A. 2017. The nomenclatural status of *Hysaplesia*, *Hylaplesia*, *Dendrobates* and related nomina (Amphibia, Anura), with general comments on zoological nomenclature and its governance, as well as on taxonomic databases and websites. *Bionomina*, 11, 1–48.  
<https://doi.org/10.11646/bionomina.11.1.1>
- Duellman, W.E. (1999) *Patterns of Distribution of Amphibians: A Global Perspective*. The Johns Hopkins University Press, Baltimore and London, 633 pp.
- Duellman, W.E., de la Riva, I. & Wild, E. (1997) Frogs of the *Hyla armata* and *Hyla pulchella* group in the Andes of South America, with definitions and analyses of phylogenetic relationships of Andean group of *Hyla*. *Scientific Papers, Natural History Museum, University of Kansas*, 3, 1–41.  
<https://doi.org/10.5962/bhl.title.48689>
- Duellman, W.E., Marion, A.B. & Hedges, S.B. (2016) Phylogenetics, classification, and biogeography of the treefrogs (Amphibia: Anura: Arboranae). *Zootaxa*, 4104 (1), 001–109.  
<https://doi.org/10.11646/zootaxa.4104.1.1>
- Eterovick, P.C., Carnaval, A.C.O.Q., Borges-Nojosa, D.M., Silvano, D.L., Segalla, M.V. & Sazima, I. (2005) Amphibian declines in

- Brazil: an overview. *Biotropica*, 166–179.  
<https://doi.org/10.1111/j.1744-7429.2005.00024.x>
- Eterovick, P.C., Souza Barros, I. & Sazima, I. (2002) Tadpoles of two species in the *Hyla polytaenia* species group and comparison with other tadpoles of *Hyla polytaenia* and *Hyla pulchella* groups (Anura, Hylidae). *Journal of Herpetology*, 36, 512–515.  
<https://doi.org/10.2307/1566201>
- Faivovich, J., Garcia, P.C.A., Ananias, F., Lanari, L., Basso, N.G. & Wheeler, W.C. (2004) A molecular perspective on the phylogeny of the *Hyla pulchella* species group (Anura, Hylidae). *Molecular Phylogenetics and Evolution*, 32, 938–950.  
<https://doi.org/10.1016/j.ympev.2004.03.008>
- Faivovich, J., Haddad, C.F.B., Garcia, P.C.A., Frost, D.R., Campbell, J.A. & Wheeler, W.C. (2005) Systematic review of the frog family Hylidae, with special reference to Hylinae: phylogenetic analysis and taxonomic revision. *Bulletin of the American Museum of Natural History*, 294, 1–240.  
[https://doi.org/10.1206/0003-0090\(2005\)294\[0001:SROTFF\]2.0.CO;2](https://doi.org/10.1206/0003-0090(2005)294[0001:SROTFF]2.0.CO;2)
- Faivovich, J., McDiarmid, R.W. & Myers, C.W. (2013) Two new species of *Myersiohyla* (Anura: Hylidae) from Cerro de la Neblina, Venezuela, with comments on other species of the genus. *American Museum Novitates*, 3792, 1–63.  
<https://doi.org/10.1206/3792.1>
- Ferro, J.M., Cardozo, D.E., Suárez, P., Boeris, J.M., Blasco, A., Barbero, G., Gomes, A., Gazoni, T., Costa, W., Nagamachi, C.Y., Rivero, M., Parise-Maltempi, P.P., Wiley, J.E., Pieczarka, J.C., Haddad, C.F.B., Faivovich, J. & Baldo, D. (2018) Chromosome evolution in Cophomantini (Amphibia, Anura, Hylinae). *PLoS ONE*, 13, e0192861.  
<https://doi.org/10.1371/journal.pone.0192861>
- Forlani, M.C., Bernardo, P.H., Haddad, C.F.B. & Zaher, H. (2010) Herpetofauna do Parque Estadual Carlos Botelho, São Paulo, Brasil. *Biota Neotropica*, 10, 265–309.  
<https://doi.org/10.1590/S1676-06032010000300028>
- Garcia, P.C.A. & Haddad, C.F.B. (2008) Vocalizations and comments on the relationships of *Hypsiboas ericae* (Amphibia, Hylidae) *Iheringia, Série Zoologica*, 98, 161–166.  
<https://doi.org/10.1590/S0073-47212008000100021>
- Garcia, P.C.A., Faivovich, J. & Haddad, C.F.B. (2007) Redescription of *Hypsiboas semiguttatus*, with the description of a new species of the *Hypsiboas pulchellus* group. *Copeia*, 2007, 933–951.  
[https://doi.org/10.1643/0045-8511\(2007\)7\[933:ROHSWT\]2.0.CO;2](https://doi.org/10.1643/0045-8511(2007)7[933:ROHSWT]2.0.CO;2)
- Garcia, P.C.A., Peixoto, O.L. & Haddad, C.F.B. (2008) A new species of *Hypsiboas* (Anura: Hylidae) from the atlantic forest of Santa Catarina, southern Brazil, with comments on its conservation status. *South American Journal of Herpetology*, 3, 27–35.  
[https://doi.org/10.2994/1808-9798\(2008\)3\[27:ANSOHA\]2.0.CO;2](https://doi.org/10.2994/1808-9798(2008)3[27:ANSOHA]2.0.CO;2)
- Garcia, P.C.A., Vinciprova, G. & Haddad, C.F.B. (2003) The taxonomic status of *Hyla pulchella joaquinii* (Anura: Hylidae) with description of its tadpole and vocalization. *Herpetologica*, 59, 350–363.  
<https://doi.org/10.1655/01-54>
- Gonçalves, D.S., Crivellari, L.B. & Conte, C.E. (2015) Linking environmental drivers with amphibian species diversity in ponds from subtropical grasslands. *Anais da Academia Brasileira de Ciências*, 87, 1751–1762.  
<https://doi.org/10.1590/0001-3765201520140471>
- Greenspan, S.E., Roznik, E.A., Schwarzkopf, L., Alford, R.A. & Pike, D.A. (2016) Robust calling performance in frogs infected by a deadly fungal pathogen. *Ecology and Evolution*, 6, 5964–5972.  
<https://doi.org/10.1002/ece3.2256>
- Grundler, M.C., Toledo, L.F., Parra-Olea, G., Haddad, C.F.B., Giasson, L.O.M., Sawaya, R.J., Prado, C.P.A., Araujo, O.G.S., Zara, F.J. & Centeno, F.C. (2012) Interaction between breeding habitat and elevation affects prevalence but not infection intensity of *Batrachochytrium dendrobatidis* in Brazilian anuran assemblages. *Diseases of Aquatic Organisms*, 97, 173–184.  
<https://doi.org/10.3354/dao02413>
- Guerra, V.B. & Bastos, R.P. (2014) Anurans from a Cerrado-Atlantic Forest ecotone in Campos Gerais region, southern Brazil. *Check List*, 10, 574–582.  
<https://doi.org/10.15560/10.3.574>
- Guerra, V.B., Gambale, P.G., Lourenço-de-Moraes, R., Campos, R.M. & Bastos, R.P. (2015) Vocalizations of two species of the *Hypsiboas pulchellus* group (Anura: Hylidae) with comments on this species group. *North-western Journal of Zoology*, 11, 253–261.
- Hernández-Guzmán, J., Arias-Rodríguez, L. & Indy, J.R. (2011) Los cromosomas meióticos de la rana arborícola *Smilisca baudinii* (Anura: Hylidae). *Revista de Biología Tropical*, 59, 355–362.
- Haddad, C.F.B., Toledo, L.F. & Prado, C.P.A. (2008) *Anfíbios da Mata Atlântica*. Editora Neotropica, São Paulo, 244 pp.
- Haddad, C.F.B. & Sazima, I. (1992) Anfíbios Anuros da Serra do Japi. In: Morellato, L.P.C. (Ed.), *História natural da Serra do Japi: ecologia e preservação de uma área florestal no Sudeste do Brasil*. Editora da Unicamp/FAPESP, Campinas, pp. 188–211.
- Heyer, W.R., Rand, A.S., Cruz, C.A.G. & Peixoto, O.L. (1988) Decimations, extinctions, and colonizations of frog populations in southeast Brazil and their evolutionary implications. *Biotropica*, 230–235.  
<https://doi.org/10.2307/2388238>
- Heyer, W.R., Rand, A.S., Cruz, C.A.G., Peixoto, O.L. & Nelson, C.E. (1990) Frogs of Boracéia. *Arquivos de Zoologia*, 31, 231–410.
- Iop, S., Caldart, V.M., dos Santos, T.G. & Cechin, S.Z. (2011) Anurans of Turvo State Park: testing the validity of Seasonal Forest as a new biome in Brazil. *Journal of Natural History*, 45, 2443–2461.  
<https://doi.org/10.1080/00222933.2011.596951>
- Kiss, A.C.I., Carvalho, J.E., Navas, C.A. & Gomes, F.R. (2009) Seasonal metabolic changes in a year-round reproductively active subtropical tree-frog: (*Hypsiboas prasinus*). *Comparative Biochemistry and Physiology A*, 152, 182–188.

- <https://doi.org/10.1016/j.cbpa.2008.09.011>
- Köhler, J., Jansen, M., Rodríguez, A., Kok, P.J.R., Toledo, L.F., Emmrich, M., Glaw, F., Haddad, C.F.B., Rödel, M.O. & Vences, M. (2017) The use of bioacoustics in anuran taxonomy: theory, terminology, methods and recommendations for best practice. *Zootaxa*, 4251 (1), 1–124.  
<https://doi.org/10.11646/zootaxa.4251.1.1>
- Kolenc, F., Borteiro, C., Alcalde, L., Baldo, D., Cardozo, D. & Faivovich, J. (2008) Comparative larval morphology of eight species of *Hypsiboas* Wagler (Amphibia, Anura, Hylidae) from Argentina and Uruguay, with a review of the larvae of this genus. *Zootaxa*, 1927, 1–66.
- Kwet, A. (2008) New species of *Hypsiboas* (Anura: Hylidae) in the *pulchellus* group from southern Brazil. *Salamandra*, 44, 1–14.
- Kwet, A., Lingnau, R. & Di Bernardo, M. (2010) *Pró-Mata: Anfíbios da Serra Gaúcha, Sul do Brasil—Amphibien der Serra Gaúcha, Südbrasiliens – Amphibians of the Serra Gaúcha, South of Brazil. 2<sup>nd</sup> Edition. Revised and enlarged.* Brasilien-Zentrum de Universität Tübingen, Tübingen and EDIPUCRS, Porto Alegre, 148 pp.
- Kwet, A. & Miranda, T. (2001) Geographic distribution. *Hyla prasina*. *Herpetological Review*, 32, 271.
- Lehr, E., Faivovich, J. & Jungfer, K. (2011) Description of the tadpoles of *Hypsiboas aguilari* and *H. melanopleura* (Anura: Hylidae: *Hypsiboas pulchellus* group). *Salamandra*, 47, 30–35.
- Lema, T. De & Martins, L.A. (2011) *Anfíbios do Rio Grande do Sul: catálogo, diagnoses, distribuição, iconografia.* EDIPUCRS, Dados eletrônicos, Porto Alegre, 197 pp.
- Lutz, B. (1973) *Brazilian Species of Hyla*. University of Texas Press, Austin, 260 pp.
- Machado, I.F. & Maltchik, L. (2007) Chek-list da diversidade de anuros no Rio Grande do Sul (Brasil) e proposta de classificação para as formas larvais. *Neotropical Biology and Conservation*, 2, 101–116.
- Madelaire, C.B., Silva, R.J. & Gomes, F.R. (2013) Calling Behavior and Parasite Intensity in Treefrogs, *Hypsiboas prasinus*. *Journal of Herpetology*, 47, 450–455.  
<https://doi.org/10.1670/11-315>
- Madelaire, C.B., Gomes, F.R. & Silva, R.J. (2012) Helminth parasites of *Hypsiboas prasinus* (Anura: Hylidae) from two Atlantic Forest fragments, São Paulo State, Brazil. *Journal of Parasitology*, 98, 560–564.
- Mattos, T.L., Coelho, A., Schneider, C.E., Telles, D.O.C., Menin, M. & Gross, M.C. (2014) Karyotypic diversity in seven Amazonian anurans in the genus *Hypsiboas* (family Hylidae). *BMC Genetics*, 15, 43.  
<https://doi.org/10.1186/1471-2156-15-43>
- McAllister, C.T., Bursey, C.R., Robison, H.W. & Connior, M.B. (2013) Parasites of the Ozark Zig-Zag Salamander, *Plethodon angusticlavius* (Caudata: Plethodontidae), from Northern. *Comparative Parasitology*, 80, 69–79.  
<https://doi.org/10.1654/4600.1>
- Melo, G.V., Rossa-Feres, D.C. & Jim, J. (2007) Variação temporal no sítio de vocalização em uma comunidade de anuros de Botucatu, Estado de São Paulo, Brasil. *Biota Neotropica*, 7, 93–102.  
<https://doi.org/10.1590/S1676-06032007000200011>
- Muniz, K.P.R., Giaretta, A.A., Silva, W.R. & Facure, K.G. (2008) Auto-ecologia de *Hypsiboas albopunctatus* (Anura, Hylidae) em área de Cerrado no sudeste do Brasil. *Iheringia, Série Zoologica*, 98, 254–259.  
<https://doi.org/10.1590/S0073-47212008000200014>
- Nali, R.C., Faivovich, J. & Prado, C.P.A. (2014) The occurrence of unpigmented mature oocytes in *Hypsiboas* (Anura: Hylidae). *Salamandra*, 50, 53–56.
- Nascimento, A.P.B., Almeida, A., Lantyer-Silva, A.S.F. & Zina, J. (2015) Biologia reprodutiva de *Hypsiboas crepitans* (Amphibia, Anura, Hylidae). *Boletim do Museu de Biologia Mello Leitão, Nova Série*, 37, 271–291.
- Nazaretti, E.M. & Conte, C.E. (2015) Anurofauna de um remanescente alterado de floresta estacional semidecidua as margens do Rio Paranapanema. *Iheringia, Série Zoologica*, 105, 420–429.  
<https://doi.org/10.1590/1678-476620151054420429>
- Nunes, R.R.A. & Fagundes, V. (2008) Patterns of ribosomal DNA distribution in hylid frogs from the *Hypsiboas faber* and *H. semilineatus* species groups. *Genetics and Molecular Biology*, 31, 982–987.  
<https://doi.org/10.1590/S1415-47572008005000024>
- Ohler, A. & Dubois, A. (2018) Article 23.9 of the Code cannot be used to reject the nomen *Hyla quoyi* Bory de SaintVincent, 1828 as a nomen oblitum. *Zoosystema*, 40, 109–121.  
<https://doi.org/10.5252/zoosystema2018v40a6>
- Pinheiro, P.D.P., Pezzuti, T.L., Leite, F.S.F., Garcia, P.C.A., Haddad, C.F.B. & Faivovich, J. (2016) A new species of the *Hypsiboas pulchellus* group from the Serra da Mantiqueira, southeastern Brazil (Amphibia: Anura: Hylidae). *Herpetologica*, 72, 256–270.  
<https://doi.org/10.1655/Herpetologica-D-15-00062.1>
- Pombal, J.P. Jr. (1997) Distribuição especial e temporal de anuros (Amphibia) em uma poça permanente na Serra de Paranapiacaba, Sudeste do Brasil. *Revista Brasileira de Biologia*, 57, 583–594.
- Pombal, J.P. Jr. (2010) O espaço acústico em uma taxocenose de anuros (Amphibia) do sudeste do Brasil. *Arquivos do Museu Nacional*, 68, 135–144.
- Pyron, R.A. (2014) Biogeographic analysis reveals ancient continental vicariance and recent oceanic dispersal in amphibians. *Systematic Biology*, 63, 779–797.  
<https://doi.org/10.1093/sysbio/syu042>
- Pyron, R.A. & Wiens, J.J. (2011) A large-scale phylogeny of Amphibia including over 2800 species, and a revised classification of extant frogs, salamanders, and caecilians. *Molecular Phylogenetics and Evolution*, 61, 543–583.  
<https://doi.org/10.1016/j.ympev.2011.06.012>
- Reynolds, R.P. & Foster, M. (1992) Four new species of frogs and one new species of snake from the Chapare region of Bolivia, with

- notes on other species. *Herpetological Monographs*, 6, 83–104.  
<https://doi.org/10.2307/1466963>
- Ribeiro, R.S., Egito, G.T.B.T. & Haddad, C.F.B. (2005) Chave de identificação: Anfíbios anuros da vertente de Jundiaí da Serra do Japi, Estado de São Paulo. *Biota Neotropica*, 5, 1–15.  
<https://doi.org/10.1590/S1676-06032005000300017>
- Rossa-Feres, D.C., Sawaya, R.J., Faivovich, J., Giovanelli, J.G.R., Brasileiro, C.A., Schiesari, L., Alexandrino, J. & Haddad, C.F.B. (2011) Anfíbios do Estado de São Paulo, Brasil: conhecimento atual e perspectivas. *Biota Neotropica*, 11, 47–66.  
<https://doi.org/10.1590/S1676-06032011000500004>
- Santos, T.G., Iop, S. & Alves, S.S. (2014) Anfíbios dos Campos Sulinos: diversidade, lacunas de conhecimento, desafios para conservação e perspectivas. *Herpetologia Brasileira*, 3, 51–59.
- Shibatta, O.A., Galves, W., Carmo, W.P.D., Lima, I.P., Lopes, E.V. & Machado, R.A. (2009) A fauna de vertebrados do campus da Universidade Estadual de Londrina, região norte do estado do Paraná, Brasil. *Semina: Ciências Biológicas e da Saúde, Londrina*, 30, 3–26.  
<https://doi.org/10.5433/1679-0367.2009v30n1p3>
- Silva, V.X., Sacramento, M., Hasui, É., Cunha, R.G.T. & Ramos, F.N. (2016) Taxonomic groups with lower movement capacity may present higher beta diversity. *Iheringia, Série Zoologia*, 107, e2017005.  
<https://doi.org/10.1590/1678-4766e2017005>
- Taboada, C., Brunetti, A.E., Pedron, F.N., Carnavale Neto, F., Estrin, D.A., Bari, S.E. & Faivovich, J. (2017) Naturally occurring fluorescence in frogs. *Proceedings of the National Academy of Science, United States of America*, 114, 3672–3677.  
<https://doi.org/10.1073/pnas.1701053114>
- Toledo, L.F. & Haddad, C.F.B. (2009) Colors and some morphological traits as defensive mechanisms in anurans. *International Journal of Zoolology*, 2009 (Article ID 910892), 1–12.  
<https://doi.org/10.1155/2009/910892>
- Toledo, L.F., Sazima, I. & Haddad, C.F.B. 2011. Behavioural defences of anurans: an overview. *Ethology Ecology & Evolution*, 23, 1–25.  
<https://doi.org/10.1080/03949370.2010.534321>
- Toledo, G.M., Fiorillo, B.F., Silva, R.J., Anjos, L.A. & Prado, C.P.A. (2013) Occurrence of *Ochoterenella digiticauda* (Nematoda: Onchocercidae) infecting the gladiator frog *Hypsiboas lundii* (Anura: Hylidae) in Brazil. *Herpetology Notes*, 6, 47–50.
- Zina, J., Ennser, J., Pinheiro, S.C.P., Haddad, C.F.B. & Toledo, L.F. (2007) Taxocenose de anuros de uma mata semiárida do interior do Estado de São Paulo e comparações com outras taxocenoses do Estado, Sudeste do Brasil. *Biota Neotropica*, 7, 49–57.  
<https://doi.org/10.1590/S1676-06032007000200005>
- Zina, J.A., Silva, G.B., Loebmann, D.C. & Orrico, V.G.D. (2014) The recognition of *Dendropsophus minusculus* (Rivero, 1971) (Hylidae, Dendropsophini) as a highly polymorphic, multi-domain distributed species *Brazilian Journal of Biology*, 74, 146–153.  
<https://doi.org/10.1590/1519-6984.22912>